



Application
Number

SEARCH

IDS Flag Clearance for Application 10608383

IDS
Information

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	10-03-2003	15	<input checked="" type="checkbox"/>	02-19-2004 11:51:46 jhayes
M844	11-03-2003	17	<input checked="" type="checkbox"/>	02-19-2004 11:55:00 jhayes
M844	03-19-2004	20	<input checked="" type="checkbox"/>	05-11-2004 14:10:50 tdawkins
M844	08-23-2004	24	<input checked="" type="checkbox"/>	09-13-2004 09:26:25 pyarborough

UPDATE

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	0	lamps and (light guide) and (total internal reflection) and ((light emitting diodes) or "LED") and (edge near2 lit) and display and ((video signal) with control).clm.	US-PGPUB	2006/01/13 16:55

	Type	Hits	Search Text	DBs
1	BRS	57964	takeuchi-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	7	((("5184114") or ("6208073") or ("6443594") or ("6550953") or ("6329758") or ("6402354") or ("5375043")).PN.	USPAT
3	BRS	1738	362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	3470	362/30,555,559-561,800,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	370	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	303	S5 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	474335	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	38019	S7 and (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	137839	display and modul\$4 and (lights or lamps or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	1661	S7 and S9 and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	565	S8 and S9 and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	69	S8 and S9 and (light guide) and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	2918	362/26,31,30,230,231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	474335	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	1740048	display or (bill board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	137109	S14 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	963	S13 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	32	S17 and ((different color\$4) with mix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	IS&R	3	((("6305813") or ("5640792") or ("5375043")).PN.	USPAT
20	BRS	9	("4989956" "5101325" "5165772" "5227773" "5590945" "5707130" "5772304" "5791757" "5890796").PN.	US-PGPUB; USPAT; USOCR
21	BRS	6	("6305813").URPN.	USPAT
22	BRS	6	("6305813").URPN.	USPAT
23	BRS	6	("3591941" "4385343" "5020252" "5251392" "5276591" "5365411").PN.	US-PGPUB; USPAT; USOCR
24	BRS	20	("5640792").URPN.	USPAT
25	BRS	6	("4975809" "5079675" "5124890" "5136483" "5147129" "5239450").PN.	US-PGPUB; USPAT; USOCR
26	BRS	48	("5375043").URPN.	USPAT
27	IS&R	1	("5184114").PN.	USPAT

28	BRS	11	("3595991" "3673462" "3940756" "3947840" "4086514" "4126812" "4271408" "4298869" "4367471" "4445132" "4661809").PN.	US-PGPUB; USPAT; USOCR
----	-----	----	---	------------------------

	Type	Hits	Search Text	DBs
29	BRS	68	("5184114").URPN.	USPAT
30	BRS	68	("5184114").URPN.	USPAT
31	IS&R	1	("6539656").PN.	USPAT
32	BRS	0	van- hees-maria.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	0	van hees-maria.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	0	van hees-antonius-johannes-maria.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	IS&R	10	((("6000812") or ("6208073") or ("6415531") or ("6755547") or ("5375043") or ("6539656") or ("6305813") or ("6550953") or ("5184114") or ("6154362"))).PN.	USPAT
36	BRS	474335	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	1608	345/82,83,55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	854	345/82,83,55.ccls. and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	134	S40 and (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	1740048	display or (bill board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	129	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	72645	(light guide) or (wave guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	8	S43 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	208	345/589-605.ccls. and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	83	S46 and (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	81	S47 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	479	340/815.45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	18034	S38 and S42 and (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	1359	S56 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	3	S49 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	787	385/901.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	21	385/901.ccls. and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	0	("2004/0170373").URPN.	USPAT
54	BRS	31	385/15,147,129.ccls. and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	1	40/541,546,581.ccls. and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	7690	362/230,231,560,561,31,29,276,800- 806,551.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
57	BRS	126	S64 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	IS&R	2	((("6154362") or ("6550953"))).PN.	USPAT
59	BRS	7	("5093768" "5777433" "5931570" "5962971" "6252350" "6369506" "6404131").PN.	US-PGPUB; USPAT; USOCR
60	BRS	5	("6550953").URPN.	USPAT
61	BRS	5	("3054032" "4177502" "5119174" "5993027").PN.	US-PGPUB; USPAT; USOCR
62	BRS	2	("6154362").URPN.	USPAT
63	BRS	474787	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	38093	S71 and (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	234	((light emit\$5 diod\$4) or "LED") lamp (array or matrix or grid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	5912	S71 with (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	3030	S74 and (array or matrix or grid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	72697	(light guide) or (wave guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	383	S75 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	4	359/640.ccls. and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	IS&R	1	("6632004").PN.	USPAT
72	BRS	74	362/812.ccls. and 362/800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	9767	362/230,231,560,561,31,29,276,800-812,551,295,552,555,559,576.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	1741399	display or (bill board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	3439	S81 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	293	S83 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	196	S83 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	97	S84 not S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	IS&R	1	("6547400").PN.	USPAT
80	BRS	10	("4763975" "5634704" "5954424" "6038005" "6191872" "6227669" "6236382" "6249351" "6330111" "6386720").PN.	US-PGPUB; USPAT; USOCR
81	BRS	6	("6547400").URPN.	USPAT
82	BRS	72645	((light guide) or (wave guide))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	913	S90 with collimat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	41	S90 with (edge lit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

85	BRS	1	(S90 with (edge lit\$5)) same collimat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	---	---	--

	Type	Hits	Search Text	DBs
86	BRS	9	(S90 with (edge lit\$5)) and collimat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	174	S90 and (edge with collimat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	198	362/31.ccls. and collimat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	IS&R	2	((("6824284") or ("6305813")).PN.	USPAT
90	BRS	23	("2900949" "3561145" "3828182" "4257084" "4929866" "5165772" "5202950" "5590945" "5700078" "5771326" "5791757" "5796904" "5857770" "5890796" "6036340" "6192824" "6196691" "6217185" "6293683" "6305813" "6443582").PN.	US-PGPUB; USPAT; USOCR
91	BRS	0	("6824284").URPN.	USPAT
92	BRS	9	("4989956" "5101325" "5165772" "5227773" "5590945" "5707130" "5772304" "5791757" "5890796").PN.	US-PGPUB; USPAT; USOCR
93	BRS	6	("6305813").URPN.	USPAT
94	IS&R	1	("6154362").PN.	USPAT
95	BRS	474915	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	9351	S103 and red and blue and green and mix\$5 and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	0	S104 and (lamp (array of grid or metrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	0	(lamp (array of grid or metrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	49	S104 and (lamp (array or grid or metrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	1975	(lamp (array or grid or metrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	613	(lamp (array or grid or metrix)) and (display or (bill board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	36	(lamp (array or grid or metrix)) and (display or (bill board)) and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	6069	(display or (bill board)) and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	3216	(display or (bill board)) and S104 and modul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	286	(display or (bill board)) and S104 and modul\$4 and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	163	(display or (bill board)) and S104 and modul\$4 and (light guide) and edg\$\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	61643	modul\$4 with (display or (bill board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	35	(light guide) with (edg\$4 lit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	46	(light guide) same (edg\$4 lit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	97	(light guide) and (edg\$4 lit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	19	S118 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
112	BRS	16	S118 and S104 and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	6	S115 and S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	1256	362/97,26,27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	41	362/97,26,27.ccls. and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	1	362/97.ccls. and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	249	362/97.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	BRS	11	"40"/\$.ccls. and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	BRS	15	("3175186" "4127844" "4613847" "4670736" "4981363" "5175528" "5803579" "5857759" "6018295" "6025775" "6526680" "6552658" "D294975" "D381923").PN.	US-PGPUB; USPAT; USOCR
120	BRS	0	("6799877").URPN.	USPAT
121	IS&R	1	("6502946").PN.	USPAT
122	IS&R	1	("6437763").PN.	USPAT
123	IS&R	1	("6805468").PN.	USPAT
124	IS&R	1	("6502946").PN.	USPAT
125	BRS	5	"191961".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	IS&R	1	("5375043").PN.	USPAT
127	IS&R	1	("6305813").PN.	USPAT
128	IS&R	1	("6539656").PN.	USPAT
129	IS&R	1	("6672734").PN.	USPAT
130	BRS	4	("5079675" "5575549" "5664862" "5718497").PN.	US-PGPUB; USPAT; USOCR
131	BRS	0	("6672734").URPN.	USPAT
132	BRS	6	("4975809" "5079675" "5124890" "5136483" "5147129" "5239450").PN.	US-PGPUB; USPAT; USOCR
133	BRS	48	("5375043").URPN.	USPAT
134	BRS	0	guest-christopher-william.in.	USPAT
135	BRS	2	("5420761" "6601962").PN.	US-PGPUB; USPAT; USOCR
136	BRS	0	("6805468").URPN.	USPAT
137	BRS	3	("6065846" "6357904" "6386720").PN.	US-PGPUB; USPAT; USOCR
138	IS&R	1	("6386720").PN.	USPAT
139	IS&R	1	("6597348").PN.	USPAT
140	IS&R	1	("6550953").PN.	USPAT
141	BRS	7	("5093768" "5777433" "5931570" "5962971" "6252350" "6369506" "6404131").PN.	US-PGPUB; USPAT; USOCR
142	IS&R	1	("6418267").PN.	USPAT
143	BRS	11	("3295910" "3644922" "3815986" "4116739" "4650280" "5376980" "5381502" "5400178" "5832168" "6219184").PN.	US-PGPUB; USPAT; USOCR
144	BRS	3	("6418267").URPN.	USPAT

145	BRS	756	polymer (light emit\$5 diod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	-----	---------------------------------	--

	Type	Hits	Search Text	DBs
146	BRS	4378	organic (light emit\$5 diod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
147	BRS	508	S154 with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
148	BRS	24	S153 with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
149	BRS	651	S153 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
150	BRS	0	S153 and display and pixle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
151	BRS	443	S153 and display and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
152	BRS	289	S153 and display and pixel and @ad<"20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
153	BRS	109	S153 and S154 and display and pixel and @ad<"20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
154	BRS	2368	345/82,83,55,102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
155	BRS	475847	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
156	BRS	1079	S162 and S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
157	BRS	72863	(light guide) or (wave guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
158	BRS	66	S164 and S165	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
159	BRS	502411	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
160	BRS	48421	control with (video signal\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
161	BRS	59749	control\$4 with (video signal\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
162	BRS	40	(control\$4 with (video signal\$4)) with color with S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
163	IS&R	2	((("6536913") or ("5835269")).PN.	USPAT
164	BRS	3	362/800.ccls. and ((video signal) with controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
165	BRS	22	362/800.ccls. and (video signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
166	BRS	104	S167 and (video signal controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
167	BRS	79	S167 and (video signal controller) and (display or sign or (bill board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
168	BRS	65	S167 and (video signal controller) and (display or sign or (bill board)) and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
169	BRS	3	(S167 with (video signal controller)) and (display or sign or (bill board)) and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
170	BRS	3989	362/26,27,29,555,559-561,97,230,231,551,552.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
171	BRS	146	362/600.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

172	BRS	165	362/602.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	-----	---------------	--

	Type	Hits	Search Text	DBs
173	BRS	59	362/604.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
174	BRS	27	362/606.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
175	BRS	13	362/607.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
176	BRS	30	362/608.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
177	BRS	78	362/609.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
178	BRS	71	362/610.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
179	BRS	35	362/611.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
180	BRS	98	362/612.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
181	BRS	157	362/613.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
182	BRS	19	362/618.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
183	BRS	57	362/619.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
184	BRS	69	362/620.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
185	BRS	4467	S184 or S185 or S186 or S187 or S188 or S189 or S190 or S191 or S192 or S193 or S194 or S195 or S196 or S197 or S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
186	BRS	4035	385/901,147,129.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
187	BRS	1025	40/541,546,581.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
188	BRS	3016	345/82,83,55,600,102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
189	BRS	724	340/478,479.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
190	BRS	1253	313/498,500,505.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
191	BRS	14008	S199 or S200 or S201 or S202 or S203 or S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
192	BRS	502953	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
193	BRS	41812	S206 and (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
194	BRS	77312	(light guide) or (wave guide) or (optical wave guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
195	BRS	2117	S207 and S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
196	BRS	246	S207 and S208 and S205	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
197	BRS	201	S207 and S208 and S205 and control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
198	BRS	13	S207 and S208 and S205 and control\$5 and (video signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

199	BRS	8	S216 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	---	---------------------------	--

	Type	Hits	Search Text	DBs
200	BRS	532253	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
201	BRS	58548	light guide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
202	BRS	42	(edge lit) with (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
203	BRS	58548	S219 or S220	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
204	BRS	12667	S218 and S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
205	BRS	5464	(light guide) with ((light emit\$5 diod\$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
206	BRS	1037	((light guide) with ((light emit\$5 diod\$4) or "LED")) and (matrix or array) and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
207	BRS	1136	((light emit\$5 diod\$4) or "LED") with (matrix display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
208	BRS	19	S225 and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
209	BRS	1136	S225 or S226	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
210	BRS	50321	control with (video signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
211	BRS	38	S227 and S228	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
212	BRS	5804	S221 and matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
213	BRS	4099	S221 and matrix and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
214	BRS	3106	S231 and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
215	BRS	683	S231 and control and (video signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
216	BRS	502	S233 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
217	BRS	18	((plane light sources) with matrix) and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
218	BRS	18	((plane light sources) with matrix) and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
219	BRS	100	(plane light sources) and S218 and matrix and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
220	BRS	17056	modul\$4 display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
221	BRS	74379	modul\$4 with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
222	BRS	17056	S238 and S239	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
223	BRS	260	S222 and S240	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
224	BRS	140	S241 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
225	BRS	260	S240 and S218 and S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
226	BRS	19	S240 and S218 and S221 and S228	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
227	BRS	5620	(lamps or (light sources)) and S228	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
228	BRS	287	(lamps or (light sources)) and S228 and S222	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
229	BRS	170	(lamps or (light sources)) and S228 and S222 and (matrix or array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
230	BRS	954	345/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
231	BRS	72	345/102.ccls. and S222	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
232	BRS	0	345/1.1-1.3ccls. and S222	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
233	BRS	7	345/1.1-1.3.ccls. and S222	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
234	BRS	2	345/1.3.ccls. and S218 and S219	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
235	BRS	271	345/1.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
236	BRS	12	("3889147" "4050834" "4163332" "4197527" "4445132" "4471350" "5020253" "5027112" "5198803" "5257020" "5390093" "5634711").PN.	US-PGPUB; USPAT; USOCR
237	BRS	11	("6175342").URPN.	USPAT
238	IS&R	6	((("5375249") or ("6329758") or ("6402345") or ("5184114") or ("6208073") or ("6550953"))).PN.	USPAT
239	IS&R	1	("20030025442").PN.	US-PGPUB
240	IS&R	12	((("6,091,182") or ("6,028,978") or ("6,211,853") or ("5,862,275") or ("6,323,833") or ("6,295,403") or ("6,108,479") or ("6,281,868") or ("6,226,080") or ("5,210,455") or ("5,600,197") or ("5,953,469") or ("5638.199"))).PN.	USPAT
241	BRS	14	("3637931" "3769512" "3871747" "4113360" "4640592" "4697879" "4763984" "4822145" "5009483" "5106181" "5124821" "5381502" "5455882" "5535189").PN.	US-PGPUB; USPAT; USOCR
242	BRS	33	("5953469").URPN.	USPAT
243	BRS	14475	controller with (video signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
244	BRS	58	flat panel light source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
245	BRS	532253	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
246	BRS	8327	((light emit\$5 diod\$4) or "LED") color\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
247	BRS	0	S262 and S264	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
248	BRS	25996	((light emit\$5 diod\$4) or "LED") with color\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
249	BRS	184	S261 and S266	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
250	BRS	1599	S261 and S263	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
251	BRS	1599	S267 or S268	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
252	BRS	1395	S269 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
253	BRS	133	S269 and display and ((modul\$4 or tiles or elements) with matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
254	BRS	86	S271 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
255	BRS	52	362/616.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
256	BRS	3066	(plural or matrix or array) with (light guides)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
257	BRS	1103	S274 and S263	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
258	BRS	0	S274 and S263 and S261	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
259	BRS	631	S274 and S263 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
260	BRS	0	S274 and S263 and display and (video signal\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
261	BRS	464	S274 and S263 and display and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
262	BRS	464	S274 and S263 and display and control\$4 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
263	BRS	303	S280 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
264	BRS	447	(plural or matrix or array) with ((light guide) with S263)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
265	BRS	21	(plural or matrix or array) ((light guide) with S263)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
266	BRS	1	("6288829").PN.	US-PGPUB; USPAT; USOCR
267	BRS	0	("6687040").URPN.	USPAT
268	BRS	92	348/750.ccls.	USPAT
269	BRS	84	348/798.ccls.	USPAT
270	BRS	26	348/801.ccls.	USPAT
271	BRS	129	348/383.ccls.	USPAT
272	BRS	112	348/739.ccls.	USPAT
273	BRS	7	348/739.ccls. and (light guide)	USPAT
274	BRS	0	345/1.1,1.2,1.3,102,903. and (light guide) and S263	USPAT
275	BRS	0	345/1.1,1.2,1.3,102,903. and S263	USPAT
276	BRS	0	"345"/\$. and (light guide) and S263	USPAT
277	BRS	0	345/1.1,1.2,1.3,102,903. and (light guide) and S263	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
278	BRS	0	"345"/\$. and (light guide) and S263	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
279	BRS	0	"362"/\$. and (light guide) and S263	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
280	BRS	204	"345"/\$.ccls. and (light guide) and S263	USPAT
281	BRS	81	345/1.1,1.2,1.3,102,903.ccls. and (light guide) and S263	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
282	BRS	248	S298 or S299	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
283	BRS	205	S300 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
284	BRS	1088	modular display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
285	BRS	4	S302 and ((light guide) with (array or matrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
286	BRS	2	("3815986" "6304703").PN.	US-PGPUB; USPAT; USOCR
287	BRS	0	("6718104").URPN.	USPAT
288	BRS	2422	((light guide) with (array or matrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
289	BRS	958	S306 and S263	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
290	BRS	347	((light guide) (array or matrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
291	BRS	121	((light guide) (array or matrix)) and S263	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
292	BRS	565	345/1.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
293	BRS	269	345/1.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
294	BRS	8	345/1.3.ccls. and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
295	BRS	161	345/1.1,1.2,1.3,102,903.ccls. and (light guide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
296	IS&R	1	("6329758").PN.	USPAT
297	BRS	52	362/616.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
298	BRS	296	362/561.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
299	BRS	7551	362/26,27,29,230,231,376,551,552,555,559,800,812.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
300	BRS	4412	385/901,147,129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
301	BRS	1848	345/55,82,83.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
302	BRS	1848	345/55,82,83.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
303	BRS	13563	S317 or S318 or S319 or S320	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
304	BRS	532253	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
305	BRS	8327	((light emit\$5 diod\$4) or "LED") color\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
306	BRS	532253	S322 or S323	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
307	BRS	15	(edge near2 lit) (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
308	BRS	43	(edge near2 lit) with (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
309	BRS	617	(total internal reflection) with (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
310	BRS	650	S325 or S326 or S327	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
311	BRS	277	S324 and S328	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
312	BRS	0	S329 and (modular display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
313	BRS	58	S321 and S329	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
314	BRS	0	lamps and (light guide) and (total internal reflection) and ((light emitting diodes) or "LED") and (edge near2 lit) and display and ((video signal) with control).clm.	US-PGPUB